




CTK

E-LINE CTK

Cable Tray Systems

www.eaeelectric.com



E-LINE CTK

CONTENT

Cable Tray	2-3
Flexible Bends	4-17
Joint Fitting / Separator	18
Level Adaptation Joint Set / Level Adaptation Bend	19
Left Reduction / Right Reduction	20-21
Middle Reduction	22
Blind End	23

E-LINE CTK

Cable Trays



CTK-D Cable Tray Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T=1,5		T=2		T=1,5 Cover		T=2 Cover	
			Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code
050 CTK-D 100	50	100	2,496	2217684	-	-	1,709	2002190	-	-
050 CTK-D 150	50	150	3,085	2217685	-	-	2,357	2002191	-	-
050 CTK-D 200	50	200	3,674	2217686	-	-	3,005	2002192	-	-
050 CTK-D 250	50	250	4,263	2217687	-	-	3,653	2002193	-	-
050 CTK-D 300	50	300	4,851	2217688	-	-	4,300	2002194	-	-
050 CTK-D 400	50	400	-	-	8,031	2217689	-	-	6,828	2002195
050 CTK-D 500	50	500	-	-	9,601	2217690	-	-	8,398	2002196
050 CTK-D 600	50	600	-	-	11,171	2217691	-	-	9,968	2002197
060 CTK-D 100	60	100	2,732	2002166	-	-	1,709	2002190	-	-
060 CTK-D 150	60	150	3,321	2002167	-	-	2,357	2002191	-	-
060 CTK-D 200	60	200	3,909	2002168	-	-	3,005	2002192	-	-
060 CTK-D 250	60	250	4,498	2002169	-	-	3,653	2002193	-	-
060 CTK-D 300	60	300	5,087	2002170	-	-	4,300	2002194	-	-
060 CTK-D 400	60	400	-	-	8,345	2002171	-	-	6,828	2002195
060 CTK-D 500	60	500	-	-	9,915	2002172	-	-	8,398	2002196
060 CTK-D 600	60	600	-	-	11,485	2002173	-	-	9,968	2002197
075 CTK-D 100	75	100	3,045	2002174	-	-	1,709	2002190	-	-
075 CTK-D 150	75	150	3,634	2002175	-	-	2,357	2002191	-	-
075 CTK-D 200	75	200	4,223	2002176	-	-	3,005	2002192	-	-
075 CTK-D 250	75	250	4,811	2002177	-	-	3,653	2002193	-	-
075 CTK-D 300	75	300	5,400	2002178	-	-	4,300	2002194	-	-
075 CTK-D 400	75	400	-	-	8,762	2002179	-	-	6,828	2002195
075 CTK-D 500	75	500	-	-	10,332	2002180	-	-	8,398	2002196
075 CTK-D 600	75	600	-	-	11,902	2002181	-	-	9,968	2002197
100 CTK-D 100	100	100	3,594	2002182	-	-	1,709	2002190	-	-
100 CTK-D 150	100	150	4,182	2002183	-	-	2,357	2002191	-	-
100 CTK-D 200	100	200	4,771	2002184	-	-	3,005	2002192	-	-
100 CTK-D 250	100	250	5,360	2002185	-	-	3,653	2002193	-	-
100 CTK-D 300	100	300	5,949	2002186	-	-	4,300	2002194	-	-
100 CTK-D 400	100	400	-	-	9,494	2002187	-	-	6,828	2002195
100 CTK-D 500	100	500	-	-	11,064	2002188	-	-	8,398	2002196
100 CTK-D 600	100	600	-	-	12,634	2002189	-	-	9,968	2002197



- Conduits and covers must be ordered separately.



- Standard length is 3000 mm.
- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm
- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

Cable Trays

CTK-E Cable Tray Hot Dip Galvanized (TS EN ISO 1461)





Description	H (mm)	A (mm)	T=1,5		T=2		T=1,5 Cover		T=2 Cover	
			Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code	Weight (kg/m)	HDG Code
050 CTK-E 100	50	100	2,243	2217692	-	-	1,709	2002190	-	-
050 CTK-E 150	50	150	2,615	2217693	-	-	2,357	2002191	-	-
050 CTK-E 200	50	200	3,107	2217694	-	-	3,005	2002192	-	-
050 CTK-E 250	50	250	3,609	2217695	-	-	3,653	2002193	-	-
050 CTK-E 300	50	300	3,973	2217696	-	-	4,300	2002194	-	-
050 CTK-E 400	50	400	-	-	6,434	2217697	-	-	6,828	2002195
050 CTK-E 500	50	500	-	-	7,587	2217698	-	-	8,398	2002196
050 CTK-E 600	50	600	-	-	8,741	2217699	-	-	9,968	2002197
060 CTK-E 100	60	100	2,494	2115077	-	-	1,709	2002190	-	-
060 CTK-E 150	60	150	2,868	2115078	-	-	2,357	2002191	-	-
060 CTK-E 200	60	200	3,360	2115079	-	-	3,005	2002192	-	-
060 CTK-E 250	60	250	3,861	2115080	-	-	3,653	2002193	-	-
060 CTK-E 300	60	300	4,224	2115081	-	-	4,300	2002194	-	-
060 CTK-E 400	60	400	-	-	6,770	2115082	-	-	6,828	2002195
060 CTK-E 500	60	500	-	-	7,923	2115083	-	-	8,398	2002196
060 CTK-E 600	60	600	-	-	9,077	2115084	-	-	9,968	2002197
075 CTK-E 100	75	100	2,743	2115085	-	-	1,709	2002190	-	-
075 CTK-E 150	75	150	3,117	2115086	-	-	2,357	2002191	-	-
075 CTK-E 200	75	200	3,609	2115087	-	-	3,005	2002192	-	-
075 CTK-E 250	75	250	4,110	2115088	-	-	3,653	2002193	-	-
075 CTK-E 300	75	300	4,474	2115089	-	-	4,300	2002194	-	-
075 CTK-E 400	75	400	-	-	7,103	2115090	-	-	6,828	2002195
075 CTK-E 500	75	500	-	-	8,256	2115091	-	-	8,398	2002196
075 CTK-E 600	75	600	-	-	9,410	2115092	-	-	9,968	2002197
100 CTK-E 100	100	100	3,245	2115093	-	-	1,709	2002190	-	-
100 CTK-E 150	100	150	3,618	2115094	-	-	2,357	2002191	-	-
100 CTK-E 200	100	200	4,110	2115095	-	-	3,005	2002192	-	-
100 CTK-E 250	100	250	4,612	2115096	-	-	3,653	2002193	-	-
100 CTK-E 300	100	300	4,976	2115097	-	-	4,300	2002194	-	-
100 CTK-E 400	100	400	-	-	7,770	2115098	-	-	6,828	2002195
100 CTK-E 500	100	500	-	-	8,924	2115099	-	-	8,398	2002196
100 CTK-E 600	100	600	-	-	10,077	2115100	-	-	9,968	2002197



CTK

- Conduits and covers must be ordered separately.



- Standard length is 3000 mm.
- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK Horizontal (45°) Degree Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 YD 45°	50	100	1,5	0,834	3408996
050 CTK 150 YD 45°	50	150	1,5	1,137	3408997
050 CTK 200 YD 45°	50	200	1,5	1,495	3408998
050 CTK 250 YD 45°	50	250	1,5	1,906	3408999
050 CTK 300 YD 45°	50	300	1,5	2,369	3409000
050 CTK 400 YD 45°	50	400	1,5	3,460	3409001
050 CTK 500 YD 45°	50	500	1,5	4,763	3409002
050 CTK 600 YD 45°	50	600	1,5	6,282	3409003
060 CTK 100 YD 45°	60	100	1,5	0,915	3006490
060 CTK 150 YD 45°	60	150	1,5	1,224	3006491
060 CTK 200 YD 45°	60	200	1,5	1,587	3006492
060 CTK 250 YD 45°	60	250	1,5	2,003	3006493
060 CTK 300 YD 45°	60	300	1,5	2,473	3006494
060 CTK 400 YD 45°	60	400	1,5	3,573	3006495
060 CTK 500 YD 45°	60	500	1,5	4,887	3006496
060 CTK 600 YD 45°	60	600	1,5	6,417	3006497
075 CTK 100 YD 45°	75	100	1,5	1,026	3006498
075 CTK 150 YD 45°	75	150	1,5	1,343	3006499
075 CTK 200 YD 45°	75	200	1,5	1,715	3006500
075 CTK 250 YD 45°	75	250	1,5	2,138	3006501
075 CTK 300 YD 45°	75	300	1,5	2,616	3006502
075 CTK 400 YD 45°	75	400	1,5	3,732	3006503
075 CTK 500 YD 45°	75	500	1,5	5,062	3006504
075 CTK 600 YD 45°	75	600	1,5	6,609	3006505
100 CTK 100 YD 45°	100	100	1,5	1,230	3006506
100 CTK 150 YD 45°	100	150	1,5	1,560	3006507
100 CTK 200 YD 45°	100	200	1,5	1,945	3006508
100 CTK 250 YD 45°	100	250	1,5	2,383	3006509
100 CTK 300 YD 45°	100	300	1,5	2,873	3006510
100 CTK 400 YD 45°	100	400	1,5	4,016	3006511
100 CTK 500 YD 45°	100	500	1,5	5,374	3006512
100 CTK 600 YD 45°	100	600	1,5	6,947	3006513



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized




E-LINE CTK

CTK Tee Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 YD 45°	50	100	1,5	1,670	3409548	2,297	3409549	2,925	3409550
050 CTK 150 YD 45°	50	150	1,5	2,188	3409551	2,977	3409552	3,765	3409553
050 CTK 200 YD 45°	50	200	1,5	2,760	3409554	3,708	3409555	4,657	3409556
050 CTK 250 YD 45°	50	250	1,5	3,384	3409557	4,496	3409558	5,606	3409559
050 CTK 300 YD 45°	50	300	1,5	4,063	3409560	5,335	3409561	6,606	3409562
050 CTK 400 YD 45°	50	400	1,5	5,583	3409563	7,175	3409564	8,768	3409565
050 CTK 500 YD 45°	50	500	1,5	7,315	3409566	9,230	3409567	11,145	3409568
050 CTK 600 YD 45°	50	600	1,5	9,262	3409569	11,499	3409570	13,737	3409571
060 CTK 100 YD 45°	60	100	1,5	1,794	3409572	2,453	3409573	3,113	3409574
060 CTK 150 YD 45°	60	150	1,5	2,317	3409575	3,138	3409576	3,958	3409577
060 CTK 200 YD 45°	60	200	1,5	2,894	3409578	3,875	3409579	4,857	3409580
060 CTK 250 YD 45°	60	250	1,5	3,523	3409581	4,668	3409582	5,809	3409583
060 CTK 300 YD 45°	60	300	1,5	4,209	3409584	5,512	3409585	6,816	3409586
060 CTK 400 YD 45°	60	400	1,5	5,739	3409587	7,363	3409588	8,988	3409589
060 CTK 500 YD 45°	60	500	1,5	7,482	3409590	9,429	3409591	11,376	3409592
060 CTK 600 YD 45°	60	600	1,5	9,440	3409593	11,710	3409594	13,978	3409595
075 CTK 100 YD 45°	75	100	1,5	1,970	3409596	2,677	3409597	3,385	3409598
075 CTK 150 YD 45°	75	150	1,5	2,501	3409599	3,369	3409600	4,238	3409601
075 CTK 200 YD 45°	75	200	1,5	3,087	3409602	4,115	3409603	5,145	3409604
075 CTK 250 YD 45°	75	250	1,5	3,725	3409605	4,916	3409606	6,105	3409607
075 CTK 300 YD 45°	75	300	1,5	4,417	3409608	5,768	3409609	7,119	3409610
075 CTK 400 YD 45°	75	400	1,5	5,963	3409611	7,635	3409612	9,308	3409613
075 CTK 500 YD 45°	75	500	1,5	7,723	3409614	9,717	3409615	11,712	3409616
075 CTK 600 YD 45°	75	600	1,5	9,697	3409617	12,013	3409618	14,331	3409619
100 CTK 100 YD 45°	100	100	1,5	2,281	3409620	3,068	3409621	3,857	3409622
100 CTK 150 YD 45°	100	150	1,5	2,826	3409623	3,774	3409624	4,723	3409625
100 CTK 200 YD 45°	100	200	1,5	3,424	3409626	4,533	3409627	5,643	3409628
100 CTK 250 YD 45°	100	250	1,5	4,076	3409629	5,347	3409630	6,618	3409631
100 CTK 300 YD 45°	100	300	1,5	4,782	3409632	6,213	3409633	7,645	3409634
100 CTK 400 YD 45°	100	400	1,5	6,355	3409635	8,107	3409636	9,860	3409637
100 CTK 500 YD 45°	100	500	1,5	8,141	3409638	10,216	3409639	12,291	3409640
100 CTK 600 YD 45°	100	600	1,5	10,142	3409641	12,539	3409642	14,937	3409643



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK Horizontal (90°) Degree Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 YD 90°	50	100	1,5	1,706	3409004
050 CTK 150 YD 90°	50	150	1,5	2,421	3409005
050 CTK 200 YD 90°	50	200	1,5	3,265	3409006
050 CTK 250 YD 90°	50	250	1,5	4,239	3409007
050 CTK 300 YD 90°	50	300	1,5	5,343	3409008
050 CTK 400 YD 90°	50	400	1,5	7,938	3409009
050 CTK 500 YD 90°	50	500	1,5	11,052	3409010
050 CTK 600 YD 90°	50	600	1,5	14,684	3409011
060 CTK 100 YD 90°	60	100	1,5	1,828	3006514
060 CTK 150 YD 90°	60	150	1,5	2,555	3006515
060 CTK 200 YD 90°	60	200	1,5	3,412	3006516
060 CTK 250 YD 90°	60	250	1,5	4,399	3006517
060 CTK 300 YD 90°	60	300	1,5	5,517	3006518
060 CTK 400 YD 90°	60	400	1,5	8,137	3006519
060 CTK 500 YD 90°	60	500	1,5	11,277	3006520
060 CTK 600 YD 90°	60	600	1,5	14,935	3006521
075 CTK 100 YD 90°	75	100	1,5	2,000	3006522
075 CTK 150 YD 90°	75	150	1,5	2,747	3006523
075 CTK 200 YD 90°	75	200	1,5	3,623	3006524
075 CTK 250 YD 90°	75	250	1,5	4,629	3006525
075 CTK 300 YD 90°	75	300	1,5	5,765	3006526
075 CTK 400 YD 90°	75	400	1,5	8,425	3006527
075 CTK 500 YD 90°	75	500	1,5	11,604	3006528
075 CTK 600 YD 90°	75	600	1,5	15,301	3006529
100 CTK 100 YD 90°	100	100	1,5	2,303	3006530
100 CTK 150 YD 90°	100	150	1,5	3,082	3006531
100 CTK 200 YD 90°	100	200	1,5	3,992	3006532
100 CTK 250 YD 90°	100	250	1,5	5,030	3006533
100 CTK 300 YD 90°	100	300	1,5	6,200	3006534
100 CTK 400 YD 90°	100	400	1,5	8,923	3006535
100 CTK 500 YD 90°	100	500	1,5	12,167	3006536
100 CTK 600 YD 90°	100	600	1,5	15,929	3006537



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized




E-LINE CTK

CTK Y Horizontal (90°) Degree Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 YD 90°	50	100	1,5	3,161	3409644	4,488	3409645	6,013	3409646
050 CTK 150 YD 90°	50	150	1,5	4,179	3409647	5,733	3409648	7,487	3409649
050 CTK 200 YD 90°	50	200	1,5	5,328	3409650	7,109	3409651	9,089	3409652
050 CTK 250 YD 90°	50	250	1,5	6,604	3409653	8,613	3409654	10,822	3409655
050 CTK 300 YD 90°	50	300	1,5	8,012	3409656	10,248	3409657	12,683	3409658
050 CTK 400 YD 90°	50	400	1,5	11,215	3409659	13,906	3409660	16,796	3409661
050 CTK 500 YD 90°	50	500	1,5	14,935	3409662	18,082	3409663	21,427	3409664
050 CTK 600 YD 90°	50	600	1,5	19,173	3409665	22,776	3409666	26,576	3409667
060 CTK 100 YD 90°	60	100	1,5	3,335	3409668	4,700	3409669	6,265	3409670
060 CTK 150 YD 90°	60	150	1,5	4,366	3409671	5,960	3409672	7,751	3409673
060 CTK 200 YD 90°	60	200	1,5	5,528	3409674	7,348	3409675	9,367	3409676
060 CTK 250 YD 90°	60	250	1,5	6,818	3409677	8,865	3409678	11,112	3409679
060 CTK 300 YD 90°	60	300	1,5	8,238	3409680	10,512	3409681	12,987	3409682
060 CTK 400 YD 90°	60	400	1,5	11,466	3409683	14,197	3409684	17,125	3409685
060 CTK 500 YD 90°	60	500	1,5	15,212	3409686	18,399	3409687	21,782	3409688
060 CTK 600 YD 90°	60	600	1,5	19,477	3409689	23,118	3409690	26,958	3409691
075 CTK 100 YD 90°	75	100	1,5	3,585	3409692	5,008	3409693	6,630	3409694
075 CTK 150 YD 90°	75	150	1,5	4,635	3409695	6,287	3409696	8,136	3409697
075 CTK 200 YD 90°	75	200	1,5	5,817	3409698	7,695	3409699	9,771	3409700
075 CTK 250 YD 90°	75	250	1,5	7,126	3409701	9,231	3409702	11,536	3409703
075 CTK 300 YD 90°	75	300	1,5	8,566	3409704	10,898	3409705	13,430	3409706
075 CTK 400 YD 90°	75	400	1,5	11,833	3409707	14,620	3409708	17,608	3409709
075 CTK 500 YD 90°	75	500	1,5	15,618	3409710	18,861	3409711	22,304	3409712
075 CTK 600 YD 90°	75	600	1,5	19,921	3409713	23,619	3409714	27,518	3409715
100 CTK 100 YD 90°	100	100	1,5	4,019	3409716	5,539	3409717	7,258	3409718
100 CTK 150 YD 90°	100	150	1,5	5,102	3409719	6,849	3409720	8,796	3409721
100 CTK 200 YD 90°	100	200	1,5	6,315	3409722	8,290	3409723	10,464	3409724
100 CTK 250 YD 90°	100	250	1,5	7,657	3409725	9,858	3409726	12,261	3409727
100 CTK 300 YD 90°	100	300	1,5	9,129	3409728	11,557	3409729	14,188	3409730
100 CTK 400 YD 90°	100	400	1,5	12,461	3409731	15,345	3409732	18,429	3409733
100 CTK 500 YD 90°	100	500	1,5	16,311	3409734	19,650	3409735	23,190	3409736
100 CTK 600 YD 90°	100	600	1,5	20,678	3409737	24,474	3409738	28,469	3409739



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

• All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK "T" Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 YT	50	100	1,5	2,157	3409012
050 CTK 150 YT	50	150	1,5	2,938	3409013
050 CTK 200 YT	50	200	1,5	3,848	3409014
050 CTK 250 YT	50	250	1,5	4,887	3409015
050 CTK 300 YT	50	300	1,5	6,057	3409016
050 CTK 400 YT	50	400	1,5	8,782	3409017
050 CTK 500 YT	50	500	1,5	12,026	3409018
050 CTK 600 YT	50	600	1,5	15,789	3409019
060 CTK 100 YT	60	100	1,5	2,311	3006538
060 CTK 150 YT	60	150	1,5	3,099	3006539
060 CTK 200 YT	60	200	1,5	4,015	3006540
060 CTK 250 YT	60	250	1,5	5,060	3006541
060 CTK 300 YT	60	300	1,5	6,236	3006542
060 CTK 400 YT	60	400	1,5	8,975	3006543
060 CTK 500 YT	60	500	1,5	12,231	3006544
060 CTK 600 YT	60	600	1,5	16,007	3006545
075 CTK 100 YT	75	100	1,5	2,526	3006546
075 CTK 150 YT	75	150	1,5	3,323	3006547
075 CTK 200 YT	75	200	1,5	4,248	3006548
075 CTK 250 YT	75	250	1,5	5,304	3006549
075 CTK 300 YT	75	300	1,5	6,490	3006550
075 CTK 400 YT	75	400	1,5	9,248	3006551
075 CTK 500 YT	75	500	1,5	12,524	3006552
075 CTK 600 YT	75	600	1,5	16,319	3006553
100 CTK 100 YT	100	100	1,5	2,913	3006554
100 CTK 150 YT	100	150	1,5	3,726	3006555
100 CTK 200 YT	100	200	1,5	4,668	3006556
100 CTK 250 YT	100	250	1,5	5,740	3006557
100 CTK 300 YT	100	300	1,5	6,941	3006558
100 CTK 400 YT	100	400	1,5	9,732	3006559
100 CTK 500 YT	100	500	1,5	13,041	3006560
100 CTK 600 YT	100	600	1,5	16,867	3006561



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized





E-LINE CTK

CTK "T" Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 YT	50	100	1,5	4,465	3409740	6,662	3409741	9,260	3409742
050 CTK 150 YT	50	150	1,5	5,700	3409743	8,239	3409744	11,178	3409745
050 CTK 200 YT	50	200	1,5	7,064	3409746	9,945	3409747	13,224	3409748
050 CTK 250 YT	50	250	1,5	8,559	3409749	11,781	3409750	15,402	3409751
050 CTK 300 YT	50	300	1,5	10,184	3409752	13,746	3409753	17,709	3409754
050 CTK 400 YT	50	400	1,5	13,819	3409755	18,065	3409756	22,712	3409757
050 CTK 500 YT	50	500	1,5	17,974	3409758	22,903	3409759	28,233	3409761
050 CTK 600 YT	50	600	1,5	22,647	3409762	28,258	3409763	34,271	3409764
060 CTK 100 YT	60	100	1,5	4,693	3409765	6,945	3409766	9,596	3409767
060 CTK 150 YT	60	150	1,5	5,935	3409768	8,528	3409769	11,521	3409770
060 CTK 200 YT	60	200	1,5	7,305	3409771	10,241	3409772	13,575	3409773
060 CTK 250 YT	60	250	1,5	8,807	3409774	12,084	3409775	15,760	3409776
060 CTK 300 YT	60	300	1,5	10,437	3409777	14,055	3409778	18,072	3409779
060 CTK 400 YT	60	400	1,5	14,086	3409780	18,388	3409781	23,088	3409782
060 CTK 500 YT	60	500	1,5	18,255	3409783	23,239	3409784	28,621	3409785
060 CTK 600 YT	60	600	1,5	22,939	3409786	28,607	3409787	34,672	3409788
075 CTK 100 YT	75	100	1,5	5,019	3409789	7,351	3409790	10,086	3409791
075 CTK 150 YT	75	150	1,5	6,270	3409792	8,945	3409793	12,020	3409794
075 CTK 200 YT	75	200	1,5	7,651	3409795	10,668	3409796	14,083	3409797
075 CTK 250 YT	75	250	1,5	9,162	3409798	12,519	3409799	16,278	3409800
075 CTK 300 YT	75	300	1,5	10,802	3409801	14,500	3409802	18,600	3409803
075 CTK 400 YT	75	400	1,5	14,471	3409804	18,853	3409805	23,636	3409806
075 CTK 500 YT	75	500	1,5	18,658	3409807	23,723	3409808	29,189	3409809
075 CTK 600 YT	75	600	1,5	23,363	3409810	29,110	3409811	35,258	3409812
100 CTK 100 YT	100	100	1,5	5,587	3409813	8,056	3409814	10,929	3409815
100 CTK 150 YT	100	150	1,5	6,855	3409816	9,666	3409817	12,879	3409818
100 CTK 200 YT	100	200	1,5	8,251	3409819	11,404	3409820	14,959	3409821
100 CTK 250 YT	100	250	1,5	9,779	3409822	13,273	3409823	17,169	3409824
100 CTK 300 YT	100	300	1,5	11,436	3409825	15,269	3409826	19,507	3409827
100 CTK 400 YT	100	400	1,5	15,136	3409828	19,655	3409829	24,575	3409830
100 CTK 500 YT	100	500	1,5	19,356	3409831	24,556	3409832	30,161	3409833
100 CTK 600 YT	100	600	1,5	24,093	3409834	29,976	3409835	36,263	3409836



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

• All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK Cross Over Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 AD	50	100	1,5	2,654	3408913
050 CTK 150 AD	50	150	1,5	3,518	3408914
050 CTK 200 AD	50	200	1,5	4,508	3408915
050 CTK 250 AD	50	250	1,5	5,630	3408916
050 CTK 300 AD	50	300	1,5	6,881	3408917
050 CTK 400 AD	50	400	1,5	9,770	3408918
050 CTK 500 AD	50	500	1,5	13,177	3408919
050 CTK 600 AD	50	600	1,5	17,103	3408920
060 CTK 100 AD	60	100	1,5	2,835	3006562
060 CTK 150 AD	60	150	1,5	3,698	3006563
060 CTK 200 AD	60	200	1,5	4,688	3006564
060 CTK 250 AD	60	250	1,5	5,810	3006565
060 CTK 300 AD	60	300	1,5	7,061	3006566
060 CTK 400 AD	60	400	1,5	9,951	3006567
060 CTK 500 AD	60	500	1,5	13,357	3006568
060 CTK 600 AD	60	600	1,5	17,283	3006569
075 CTK 100 AD	75	100	1,5	3,086	3006570
075 CTK 150 AD	75	150	1,5	3,949	3006571
075 CTK 200 AD	75	200	1,5	4,939	3006572
075 CTK 250 AD	75	250	1,5	6,061	3006573
075 CTK 300 AD	75	300	1,5	7,312	3006574
075 CTK 400 AD	75	400	1,5	10,201	3006575
075 CTK 500 AD	75	500	1,5	13,608	3006576
075 CTK 600 AD	75	600	1,5	17,534	3006577
100 CTK 100 AD	100	100	1,5	3,543	3006578
100 CTK 150 AD	100	150	1,5	4,407	3006579
100 CTK 200 AD	100	200	1,5	5,397	3006580
100 CTK 250 AD	100	250	1,5	6,519	3006581
100 CTK 300 AD	100	300	1,5	7,769	3006582
100 CTK 400 AD	100	400	1,5	10,659	3006583
100 CTK 500 AD	100	500	1,5	14,066	3006584
100 CTK 600 AD	100	600	1,5	17,992	3006585



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized





E-LINE CTK

CTK Cross Over Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 AD	50	100	1,5	6,112	3409260	9,640	3409261	13,969	3409262
050 CTK 150 AD	50	150	1,5	7,581	3409263	11,565	3409264	16,348	3409265
050 CTK 200 AD	50	200	1,5	9,180	3409266	13,618	3409267	18,857	3409268
050 CTK 250 AD	50	250	1,5	10,908	3409269	15,802	3409270	21,496	3409271
050 CTK 300 AD	50	300	1,5	12,764	3409272	18,114	3409273	24,263	3409274
050 CTK 400 AD	50	400	1,5	16,869	3409275	23,129	3409276	30,188	3409277
050 CTK 500 AD	50	500	1,5	21,490	3409278	28,661	3409279	36,631	3409280
050 CTK 600 AD	50	600	1,5	26,630	3409281	34,711	3409282	43,591	3409283
060 CTK 100 AD	60	100	1,5	6,380	3409284	9,975	3409285	14,365	3409286
060 CTK 150 AD	60	150	1,5	7,850	3409287	11,900	3409288	16,744	3409289
060 CTK 200 AD	60	200	1,5	9,448	3409290	13,952	3409291	19,253	3409292
060 CTK 250 AD	60	250	1,5	11,176	3409293	16,136	3409294	21,892	3409295
060 CTK 300 AD	60	300	1,5	13,033	3409296	18,448	3409297	24,659	3409298
060 CTK 400 AD	60	400	1,5	17,137	3409299	23,463	3409300	30,584	3409301
060 CTK 500 AD	60	500	1,5	21,758	3409302	28,995	3409303	37,027	3409304
060 CTK 600 AD	60	600	1,5	26,898	3409305	35,045	3409306	43,987	3409307
075 CTK 100 AD	75	100	1,5	6,763	3409308	10,450	3409309	14,937	3409310
075 CTK 150 AD	75	150	1,5	8,232	3409311	12,375	3409312	17,316	3409313
075 CTK 200 AD	75	200	1,5	9,831	3409314	14,428	3409315	19,825	3409316
075 CTK 250 AD	75	250	1,5	11,559	3409317	16,611	3409318	22,464	3409319
075 CTK 300 AD	75	300	1,5	13,416	3409320	18,923	3409321	25,231	3409322
075 CTK 400 AD	75	400	1,5	17,520	3409323	23,938	3409324	31,156	3409325
075 CTK 500 AD	75	500	1,5	22,141	3409326	29,470	3409327	37,599	3409328
075 CTK 600 AD	75	600	1,5	27,281	3409329	35,520	3409330	44,559	3409331
100 CTK 100 AD	100	100	1,5	7,432	3409332	11,277	3409333	15,927	3409334
100 CTK 150 AD	100	150	1,5	8,901	3409335	13,202	3409336	18,306	3409337
100 CTK 200 AD	100	200	1,5	10,500	3409338	15,255	3409339	20,815	3409340
100 CTK 250 AD	100	250	1,5	12,228	3409341	17,438	3409342	23,454	3409343
100 CTK 300 AD	100	300	1,5	14,084	3409344	19,751	3409345	26,221	3409346
100 CTK 400 AD	100	400	1,5	18,189	3409347	24,765	3409348	32,146	3409349
100 CTK 500 AD	100	500	1,5	22,810	3409350	30,297	3409351	38,589	3409352
100 CTK 600 AD	100	600	1,5	27,950	3409353	36,347	3409354	45,549	3409355



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

• All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

CTK



E-LINE CTK

CTK "T" Centre Descent Bend

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 TO	50	100	1,5	2,236	3408980
050 CTK 150 TO	50	150	1,5	2,705	3408981
050 CTK 200 TO	50	200	1,5	3,132	3408982
050 CTK 250 TO	50	250	1,5	3,600	3408983
050 CTK 300 TO	50	300	1,5	4,027	3408984
050 CTK 400 TO	50	400	1,5	4,923	3408985
050 CTK 500 TO	50	500	1,5	5,819	3408986
050 CTK 600 TO	50	600	1,5	6,675	3408987
060 CTK 100 TO	60	100	1,5	2,457	3006586
060 CTK 150 TO	60	150	1,5	2,933	3006587
060 CTK 200 TO	60	200	1,5	3,366	3006588
060 CTK 250 TO	60	250	1,5	3,841	3006589
060 CTK 300 TO	60	300	1,5	4,275	3006590
060 CTK 400 TO	60	400	1,5	5,183	3006591
060 CTK 500 TO	60	500	1,5	6,092	3006592
060 CTK 600 TO	60	600	1,5	6,961	3006593
075 CTK 100 TO	75	100	1,5	2,784	3006594
075 CTK 150 TO	75	150	1,5	3,268	3006595
075 CTK 200 TO	75	200	1,5	3,711	3006596
075 CTK 250 TO	75	250	1,5	4,197	3006597
075 CTK 300 TO	75	300	1,5	4,640	3006598
075 CTK 400 TO	75	400	1,5	5,567	3006599
075 CTK 500 TO	75	500	1,5	6,496	3006600
075 CTK 600 TO	75	600	1,5	7,384	3006601
100 CTK 100 TO	100	100	1,5	3,379	3006602
100 CTK 150 TO	100	150	1,5	3,881	3006603
100 CTK 200 TO	100	200	1,5	4,340	3006604
100 CTK 250 TO	100	250	1,5	4,841	3006605
100 CTK 300 TO	100	300	1,5	5,300	3006606
100 CTK 400 TO	100	400	1,5	6,261	3006607
100 CTK 500 TO	100	500	1,5	7,222	3006608
100 CTK 600 TO	100	600	1,5	8,142	3006609



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm



- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

E-LINE CTK

CTK "T" Centre Descent Bend

Hot Dip Galvanized (TS EN ISO 1461)

Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 TD	50	100	1,5	2,631	3408972
050 CTK 150 TD	50	150	1,5	3,556	3408973
050 CTK 200 TD	50	200	1,5	4,497	3408974
050 CTK 250 TD	50	250	1,5	5,552	3408975
050 CTK 300 TD	50	300	1,5	6,623	3408976
050 CTK 400 TD	50	400	1,5	7,843	3408977
050 CTK 500 TD	50	500	1,5	9,066	3408978
050 CTK 600 TD	50	600	1,5	10,247	3408979
060 CTK 100 TD	60	100	1,5	2,772	3006756
060 CTK 150 TD	60	150	1,5	3,710	3006757
060 CTK 200 TD	60	200	1,5	4,664	3006758
060 CTK 250 TD	60	250	1,5	5,731	3006759
060 CTK 300 TD	60	300	1,5	6,815	3006760
060 CTK 400 TD	60	400	1,5	8,034	3006761
060 CTK 500 TD	60	500	1,5	9,258	3006762
060 CTK 600 TD	60	600	1,5	10,438	3006763
075 CTK 100 TD	75	100	1,5	2,978	3006764
075 CTK 150 TD	75	150	1,5	3,936	3006765
075 CTK 200 TD	75	200	1,5	4,908	3006766
075 CTK 250 TD	75	250	1,5	5,996	3006767
075 CTK 300 TD	75	300	1,5	7,099	3006768
075 CTK 400 TD	75	400	1,5	8,319	3006769
075 CTK 500 TD	75	500	1,5	9,543	3006770
075 CTK 600 TD	75	600	1,5	10,723	3006771
100 CTK 100 TD	100	100	1,5	3,324	3006772
100 CTK 150 TD	100	150	1,5	4,314	3006773
100 CTK 200 TD	100	200	1,5	5,320	3006774
100 CTK 250 TD	100	250	1,5	6,439	3006775
100 CTK 300 TD	100	300	1,5	7,576	3006776
100 CTK 400 TD	100	400	1,5	8,796	3006777
100 CTK 500 TD	100	500	1,5	10,019	3006778
100 CTK 600 TD	100	600	1,5	11,199	3006779



CTK

- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK Centre Descent Bend (90°)

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 ID	50	100	1,5	1,118	3408929
050 CTK 150 ID	50	150	1,5	1,366	3408930
050 CTK 200 ID	50	200	1,5	1,616	3408931
050 CTK 250 ID	50	250	1,5	1,865	3408932
050 CTK 300 ID	50	300	1,5	2,115	3408933
050 CTK 400 ID	50	400	1,5	2,614	3408934
050 CTK 500 ID	50	500	1,5	3,112	3408935
050 CTK 600 ID	50	600	1,5	3,610	3408936
060 CTK 100 ID	60	100	1,5	1,254	3006708
060 CTK 150 ID	60	150	1,5	1,514	3006709
060 CTK 200 ID	60	200	1,5	1,773	3006710
060 CTK 250 ID	60	250	1,5	2,033	3006711
060 CTK 300 ID	60	300	1,5	2,295	3006712
060 CTK 400 ID	60	400	1,5	2,814	3006713
060 CTK 500 ID	60	500	1,5	3,334	3006714
060 CTK 600 ID	60	600	1,5	3,853	3006715
075 CTK 100 ID	75	100	1,5	1,458	3006716
075 CTK 150 ID	75	150	1,5	1,734	3006717
075 CTK 200 ID	75	200	1,5	2,010	3006718
075 CTK 250 ID	75	250	1,5	2,286	3006719
075 CTK 300 ID	75	300	1,5	2,563	3006720
075 CTK 400 ID	75	400	1,5	3,115	3006721
075 CTK 500 ID	75	500	1,5	3,666	3006722
075 CTK 600 ID	75	600	1,5	4,219	3006723
100 CTK 100 ID	100	100	1,5	1,838	3006724
100 CTK 150 ID	100	150	1,5	2,140	3006725
100 CTK 200 ID	100	200	1,5	2,443	3006726
100 CTK 250 ID	100	250	1,5	2,746	3006727
100 CTK 300 ID	100	300	1,5	3,050	3006728
100 CTK 400 ID	100	400	1,5	3,655	3006729
100 CTK 500 ID	100	500	1,5	4,261	3006730
100 CTK 600 ID	100	600	1,5	4,866	3006731



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized





E-LINE CTK

CTK Centre Descent Bend (90°)

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 ID	50	100	1,5	1,953	3409452	2,580	3409453	3,205	3409454
050 CTK 150 ID	50	150	1,5	2,417	3409455	3,204	3409456	3,991	3409457
050 CTK 200 ID	50	200	1,5	2,880	3409458	3,829	3409459	4,776	3409460
050 CTK 250 ID	50	250	1,5	3,344	3409461	4,454	3409462	5,562	3409463
050 CTK 300 ID	50	300	1,5	3,808	3409464	5,080	3409465	6,348	3409466
050 CTK 400 ID	50	400	1,5	4,736	3409467	6,329	3409468	7,920	3409469
050 CTK 500 ID	50	500	1,5	5,663	3409470	7,578	3409471	9,491	3409472
050 CTK 600 ID	50	600	1,5	6,591	3409473	8,829	3409474	11,063	3409475
060 CTK 100 ID	60	100	1,5	2,133	3409476	2,793	3409477	3,452	3409478
060 CTK 150 ID	60	150	1,5	2,607	3409479	3,428	3409480	4,247	3409481
060 CTK 200 ID	60	200	1,5	3,081	3409482	4,065	3409483	5,045	3409484
060 CTK 250 ID	60	250	1,5	3,556	3409485	4,699	3409486	5,840	3409487
060 CTK 300 ID	60	300	1,5	4,032	3409488	5,335	3409489	6,637	3409490
060 CTK 400 ID	60	400	1,5	4,981	3409491	6,607	3409492	8,230	3409493
060 CTK 500 ID	60	500	1,5	5,929	3409494	7,877	3409495	9,823	3409496
060 CTK 600 ID	60	600	1,5	6,879	3409497	9,149	3409498	11,416	3409499
075 CTK 100 ID	75	100	1,5	2,401	3409500	3,109	3409501	3,816	3409502
075 CTK 150 ID	75	150	1,5	2,891	3409503	3,760	3409504	4,628	3409505
075 CTK 200 ID	75	200	1,5	3,381	3409506	4,412	3409507	5,442	3409508
075 CTK 250 ID	75	250	1,5	3,872	3409509	5,063	3409510	6,254	3409511
075 CTK 300 ID	75	300	1,5	4,364	3409512	5,717	3409513	7,066	3409514
075 CTK 400 ID	75	400	1,5	5,345	3409515	7,020	3409516	8,691	3409517
075 CTK 500 ID	75	500	1,5	6,326	3409518	8,323	3409519	10,317	3409520
075 CTK 600 ID	75	600	1,5	7,307	3409521	9,626	3409522	11,942	3409523
100 CTK 100 ID	100	100	1,5	2,889	3409524	3,676	3409525	4,464	3409526
100 CTK 150 ID	100	150	1,5	3,406	3409527	4,354	3409528	5,303	3409529
100 CTK 200 ID	100	200	1,5	3,923	3409530	5,033	3409531	6,144	3409532
100 CTK 250 ID	100	250	1,5	4,441	3409533	5,711	3409534	6,982	3409535
100 CTK 300 ID	100	300	1,5	4,959	3409536	6,390	3409537	7,822	3409538
100 CTK 400 ID	100	400	1,5	5,993	3409539	7,747	3409540	9,501	3409541
100 CTK 500 ID	100	500	1,5	7,028	3409542	9,104	3409543	11,179	3409544
100 CTK 600 ID	100	600	1,5	8,064	3409545	10,461	3409546	12,858	3409547



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized



E-LINE CTK

CTK Vertical Outside Bend (90°)

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 DD	50	100	1,5	1,258	3408921
050 CTK 150 DD	50	150	1,5	1,537	3408922
050 CTK 200 DD	50	200	1,5	1,815	3408923
050 CTK 250 DD	50	250	1,5	2,094	3408924
050 CTK 300 DD	50	300	1,5	2,372	3408925
050 CTK 400 DD	50	400	1,5	2,929	3408926
050 CTK 500 DD	50	500	1,5	3,486	3408927
050 CTK 600 DD	50	600	1,5	4,043	3408928
060 CTK 100 DD	60	100	1,5	1,409	3006732
060 CTK 150 DD	60	150	1,5	1,698	3006733
060 CTK 200 DD	60	200	1,5	1,987	3006734
060 CTK 250 DD	60	250	1,5	2,277	3006735
060 CTK 300 DD	60	300	1,5	2,565	3006736
060 CTK 400 DD	60	400	1,5	3,144	3006737
060 CTK 500 DD	60	500	1,5	3,722	3006738
060 CTK 600 DD	60	600	1,5	4,301	3006739
075 CTK 100 DD	75	100	1,5	1,632	3006740
075 CTK 150 DD	75	150	1,5	1,938	3006741
075 CTK 200 DD	75	200	1,5	2,243	3006742
075 CTK 250 DD	75	250	1,5	2,549	3006743
075 CTK 300 DD	75	300	1,5	2,853	3006744
075 CTK 400 DD	75	400	1,5	3,464	3006745
075 CTK 500 DD	75	500	1,5	4,074	3006746
075 CTK 600 DD	75	600	1,5	4,685	3006747
100 CTK 100 DD	100	100	1,5	2,044	3006748
100 CTK 150 DD	100	150	1,5	2,377	3006749
100 CTK 200 DD	100	200	1,5	2,708	3006750
100 CTK 250 DD	100	250	1,5	3,042	3006751
100 CTK 300 DD	100	300	1,5	3,373	3006752
100 CTK 400 DD	100	400	1,5	4,037	3006753
100 CTK 500 DD	100	500	1,5	4,701	3006754
100 CTK 600 DD	100	600	1,5	5,366	3006755



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized





E-LINE CTK

CTK Vertical Outside Bend (90°)

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	R300		R450		R600	
				Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code	Weight (kg/pcs)	HDG Code
050 CTK 100 DD	50	100	1,5	2,097	3409356	2,727	3409357	3,357	3409358
050 CTK 150 DD	50	150	1,5	2,589	3409359	3,380	3409360	4,171	3409361
050 CTK 200 DD	50	200	1,5	3,082	3409362	4,036	3409363	4,987	3409364
050 CTK 250 DD	50	250	1,5	3,576	3409365	4,689	3409366	5,801	3409367
050 CTK 300 DD	50	300	1,5	4,069	3409368	5,343	3409369	6,617	3409370
050 CTK 400 DD	50	400	1,5	5,055	3409371	6,651	3409372	8,247	3409373
050 CTK 500 DD	50	500	1,5	6,040	3409374	7,959	3409375	9,876	3409376
050 CTK 600 DD	50	600	1,5	7,027	3409377	9,266	3409378	11,506	3409379
060 CTK 100 DD	60	100	1,5	2,291	3409380	2,952	3409381	3,616	3409382
060 CTK 150 DD	60	150	1,5	2,795	3409383	3,617	3409384	4,441	3409385
060 CTK 200 DD	60	200	1,5	3,299	3409386	4,282	3409387	5,267	3409388
060 CTK 250 DD	60	250	1,5	3,803	3409389	4,947	3409390	6,092	3409391
060 CTK 300 DD	60	300	1,5	4,307	3409392	5,611	3409393	6,918	3409394
060 CTK 400 DD	60	400	1,5	5,314	3409395	6,940	3409396	8,569	3409397
060 CTK 500 DD	60	500	1,5	6,321	3409398	8,270	3409399	10,220	3409400
060 CTK 600 DD	60	600	1,5	7,328	3409401	9,600	3409402	11,871	3409403
075 CTK 100 DD	75	100	1,5	2,578	3409404	3,290	3409405	4,000	3409406
075 CTK 150 DD	75	150	1,5	3,099	3409407	3,971	3409408	4,841	3409409
075 CTK 200 DD	75	200	1,5	3,618	3409410	4,653	3409411	5,684	3409412
075 CTK 250 DD	75	250	1,5	4,138	3409413	5,333	3409414	6,525	3409415
075 CTK 300 DD	75	300	1,5	4,659	3409416	6,014	3409417	7,367	3409418
075 CTK 400 DD	75	400	1,5	5,698	3409419	7,376	3409420	9,050	3409421
075 CTK 500 DD	75	500	1,5	6,738	3409422	8,736	3409423	10,733	3409424
075 CTK 600 DD	75	600	1,5	7,777	3409425	10,099	3409426	12,417	3409427
100 CTK 100 DD	100	100	1,5	3,099	3409428	3,889	3409429	4,679	3409430
100 CTK 150 DD	100	150	1,5	3,645	3409431	4,597	3409432	5,548	3409433
100 CTK 200 DD	100	200	1,5	4,191	3409434	5,305	3409435	6,417	3409436
100 CTK 250 DD	100	250	1,5	4,738	3409437	6,013	3409438	7,285	3409439
100 CTK 300 DD	100	300	1,5	5,284	3409440	6,720	3409441	8,153	3409442
100 CTK 400 DD	100	400	1,5	6,378	3409443	8,135	3409444	9,891	3409445
100 CTK 500 DD	100	500	1,5	7,471	3409446	9,549	3409447	11,628	3409448
100 CTK 600 DD	100	600	1,5	8,565	3409449	10,966	3409450	13,365	3409451



CTK

- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

E-LINE CTK

CTK Joint Fitting

Hot Dip Galvanized (TS EN ISO 1461)




Description	H (mm)	T (mm)	Weight (kg/pcs)	HDG Code
50-60 CTK joint Fitting	38	2	0,191	3001965
75-100 CTK joint Fitting	55,5	2	0,242	3007413

50-60 CTK Joint Fitting




1 Unit of H=50, H=60 Connector Component;
4 units M6x12 bolts, 4 units M6 bolt nuts are used.



75-100 CTK Joint Fitting





1 Unit of H=75-100 Connector Component;
8 units M6x12 bolts, 8 units M6 bolt nuts are used.



CTK Separator Hot Dip Galvanized (TS EN ISO 1461)

Description	H (mm)	T (mm)	Weight (kg/m)	HDG Code
050 CTK Separator	45	0,8	0,485	3006954
060 CTK Separator	55	0,8	0,540	3005833
075 CTK Separator	70	1	0,814	3006953
100 CTK Separator	95	1	1,047	3006952

Separator



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized


E-LINE CTK

CTK Level Adaptation Joint

Hot Dip Galvanized (TS EN ISO 1461)




Description	H (mm)	T (mm)	Weight (kg/set)	HDG Code
050 CTK SDE	50	2	0,392	3408955
060 CTK SDE	60	2	0,436	3007415
075 CTK SDE	75	2	0,581	3007416
100 CTK SDE	100	2	0,814	3007417



60/75/100 CTK-SDE L=160




Includes: 4 units of grade changing components,
4 Units of M6x12 Bolts, 4 Units of M6 Bolt Nuts.



CTK Level Adaptation Bend Hot Dip Galvanized (TS EN ISO 1461)

Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100 SDM	50	100	1,5	3,484	3408956
050 CTK 150 SDM	50	150	1,5	4,193	3408957
050 CTK 200 SDM	50	200	1,5	4,899	3408958
050 CTK 250 SDM	50	250	1,5	5,606	3408959
050 CTK 300 SDM	50	300	1,5	6,312	3408960
050 CTK 400 SDM	50	400	1,5	7,728	3408961
050 CTK 500 SDM	50	500	1,5	9,140	3408962
050 CTK 600 SDM	50	600	1,5	10,556	3408963
060 CTK 100 SDM	60	100	1,5	3,686	3007285
060 CTK 150 SDM	60	150	1,5	4,396	3007286
060 CTK 200 SDM	60	200	1,5	5,102	3007287
060 CTK 250 SDM	60	250	1,5	5,808	3007288
060 CTK 300 SDM	60	300	1,5	6,514	3007289
060 CTK 400 SDM	60	400	1,5	7,930	3007290
060 CTK 500 SDM	60	500	1,5	9,342	3007291
060 CTK 600 SDM	60	600	1,5	10,758	3007292
075 CTK 100 SDM	75	100	1,5	3,379	3007293
075 CTK 150 SDM	75	150	1,5	3,854	3007294
075 CTK 200 SDM	75	200	1,5	4,326	3007295
075 CTK 250 SDM	75	250	1,5	4,805	3007296
075 CTK 300 SDM	75	300	1,5	5,277	3007297
075 CTK 400 SDM	75	400	1,5	6,227	3007298
075 CTK 500 SDM	75	500	1,5	7,178	3007299
075 CTK 600 SDM	75	600	1,5	8,125	3007300
100 CTK 100 SDM	100	100	1,5	3,896	3007301
100 CTK 150 SDM	100	150	1,5	4,371	3007302
100 CTK 200 SDM	100	200	1,5	4,843	3007303
100 CTK 250 SDM	100	250	1,5	5,322	3007304
100 CTK 300 SDM	100	300	1,5	5,794	3007305
100 CTK 400 SDM	100	400	1,5	6,744	3007306
100 CTK 500 SDM	100	500	1,5	7,695	3007307
100 CTK 600 SDM	100	600	1,5	8,642	3007308

Grade Changing Bend



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

CTK

E-LINE CTK


CTK Left Reduction

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
50 CTK RD 50	50	50	2	0,160	3408949
50 CTK RD 100	50	100	2	0,196	3408950
50 CTK RD 150	50	150	2	0,232	3408951
50 CTK RD 200	50	200	2	0,268	3408952
50 CTK RD 250	50	250	2	0,305	3408953
50 CTK RD 300	50	300	2	0,340	3408954
60 CTK RD 50	60	50	2	0,184	3007358
60 CTK RD 100	60	100	2	0,226	3007359
60 CTK RD 150	60	150	2	0,267	3007360
60 CTK RD 200	60	200	2	0,308	3007361
60 CTK RD 250	60	250	2	0,350	3007362
60 CTK RD 300	60	300	2	0,392	3007363
75 CTK RD 50	75	50	2	0,235	3007364
75 CTK RD 100	75	100	2	0,289	3007365
75 CTK RD 150	75	150	2	0,344	3007366
75 CTK RD 200	75	200	2	0,398	3007367
75 CTK RD 250	75	250	2	0,453	3007368
75 CTK RD 300	75	300	2	0,507	3007369
100 CTK RD 50	100	50	2	0,328	3007370
100 CTK RD 100	100	100	2	0,404	3007371
100 CTK RD 150	100	150	2	0,480	3007372
100 CTK RD 200	100	200	2	0,556	3007373
100 CTK RD 250	100	250	2	0,633	3007374
100 CTK RD 300	100	300	2	0,708	3007375

CTK Left Reduction



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized


E-LINE CTK

CTK Right Reduction

Hot Dip Galvanized (TS EN ISO 1461)

Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
50 CTK RD 50	50	50	2	0,160	3408943
50 CTK RD100	50	100	2	0,196	3408944
50 CTK RD 150	50	150	2	0,232	3408945
50 CTK RD 200	50	200	2	0,268	3408946
50 CTK RD 250	50	250	2	0,305	3408947
50 CTK RD 300	50	300	2	0,340	3408948
60 CTK RD 50	60	50	2	0,184	3007376
60 CTK RD100	60	100	2	0,226	3007377
60 CTK RD 150	60	150	2	0,267	3007378
60 CTK RD 200	60	200	2	0,308	3007379
60 CTK RD 250	60	250	2	0,350	3007380
60 CTK RD 300	60	300	2	0,392	3007381
75 CTK RD 50	75	50	2	0,235	3007382
75 CTK RD100	75	100	2	0,289	3007383
75 CTK RD 150	75	150	2	0,344	3007384
75 CTK RD 200	75	200	2	0,398	3007385
75 CTK RD 250	75	250	2	0,453	3007386
75 CTK RD 300	75	300	2	0,507	3007387
100 CTK RD 50	100	50	2	0,328	3007388
100 CTK RD100	100	100	2	0,404	3007389
100 CTK RD 150	100	150	2	0,480	3007390
100 CTK RD 200	100	200	2	0,556	3007391
100 CTK RD 250	100	250	2	0,633	3007392
100 CTK RD 300	100	300	2	0,708	3007393

CTK Right Reduction



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

E-LINE CTK


CTK Middle Reduction

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
50 CTK RD 50	50	50	2	0,319	3408937
50 CTK RD 100	50	100	2	0,392	3408938
50 CTK RD 150	50	150	2	0,464	3408939
50 CTK RD 200	50	200	2	0,537	3408940
50 CTK RD 250	50	250	2	0,609	3408941
50 CTK RD 300	50	300	2	0,680	3408942
60 CTK RD 50	60	50	2	0,367	3007394
60 CTK RD 100	60	100	2	0,451	3007395
60 CTK RD 150	60	150	2	0,535	3007396
60 CTK RD 200	60	200	2	0,616	3007397
60 CTK RD 250	60	250	2	0,700	3007398
60 CTK RD 300	60	300	2	0,783	3007399
75 CTK RD 50	75	50	2	0,471	3007400
75 CTK RD 100	75	100	2	0,579	3007401
75 CTK RD 150	75	150	2	0,689	3007402
75 CTK RD 200	75	200	2	0,796	3007403
75 CTK RD 250	75	250	2	0,906	3007404
75 CTK RD 300	75	300	2	1,014	3007405
100 CTK RD 50	100	50	2	0,656	3007406
100 CTK RD 100	100	100	2	0,807	3007407
100 CTK RD 150	100	150	2	0,959	3007408
100 CTK RD 200	100	200	2	1,111	3007409
100 CTK RD 250	100	250	2	1,265	3007410
100 CTK RD 300	100	300	2	1,417	3007411

CTK Middle Reduction



- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized


E-LINE CTK

CTK Blind End

Hot Dip Galvanized (TS EN ISO 1461)



Description	H (mm)	A (mm)	T (mm)	Weight (kg/pcs)	HDG Code
050 CTK 100	52	106	1,5	0,166	3408964
050 CTK 150	52	156	1,5	0,206	3408965
050 CTK 200	52	206	1,5	0,245	3408966
050 CTK 250	52	256	1,5	0,285	3408967
050 CTK 300	52	306	1,5	0,325	3408968
050 CTK 400	52	406	1,5	0,405	3408969
050 CTK 500	52	506	1,5	0,484	3408970
050 CTK 600	52	606	1,5	0,563	3408971
060 CTK 100	62	106	1,5	0,205	3049183
060 CTK 150	62	156	1,5	0,251	3049184
060 CTK 200	62	206	1,5	0,297	3049185
060 CTK 250	62	256	1,5	0,343	3049186
060 CTK 300	62	306	1,5	0,389	3049187
060 CTK 400	62	406	1,5	0,482	3049188
060 CTK 500	62	506	1,5	0,574	3049189
060 CTK 600	62	606	1,5	0,667	3049190
075 CTK 100	77	106	1,5	0,253	3049191
075 CTK 150	77	156	1,5	0,309	3049192
075 CTK 200	77	206	1,5	0,365	3049193
075 CTK 250	77	256	1,5	0,421	3049194
075 CTK 300	77	306	1,5	0,476	3049195
075 CTK 400	77	406	1,5	0,589	3049196
075 CTK 500	77	506	1,5	0,701	3049197
075 CTK 600	77	606	1,5	0,813	3049198
100 CTK 100	102	106	1,5	0,340	3049199
100 CTK 150	102	156	1,5	0,413	3049200
100 CTK 200	102	206	1,5	0,484	3049201
100 CTK 250	102	256	1,5	0,557	3049202
100 CTK 300	102	306	1,5	0,628	3049203
100 CTK 400	102	406	1,5	0,773	3049204
100 CTK 500	102	506	1,5	0,917	3049205
100 CTK 600	102	606	1,5	1,062	3049206



CTK

- Please indicate order code in your orders.
- Please contact us for special dimensions.
- Material weights may vary by $\pm 10\%$

- All dimensions are given as in mm

- PG= Pre-Galvanized
- HDG= Hot Dip Galvanized

